

Uniclass	EPIC
L4181:P4	D181:X4
CI/SfB	
(31.59)	Xh

architectural hardware for glass
door handles ⁽⁴⁾

An exciting range of tubular stainless steel handles.
We offer the architect or designer a wide range of
options and with the majority of handles in stock,
we satisfy the needs of the fabricator or installer.




3016

A contemporary design available as a single handle and manufactured from high grade marine stainless steel.

material: Stainless steel grade 316

finish: Satin

glass drilling: 2 x 10mm Ø holes




NOTES

All handles are supplied in pairs with back to back fixings which are suitable for glass doors. If the handles are to be fitted to timber or aluminium doors then please specify when ordering.

A limited number of designs are available as single handles.

Straight handles must be fixed at least 100mm from the edge of the door to allow for hand clearance.

All dimensions in mm





H16

This straight handle is available in two lengths and the tubing is a special 'D' shape. The vertical lines and length of this handle are striking when used in multiple installations.

material: Stainless steel grade 304

finishes: Polished and Satin

glass drilling: 2 x 16mm Ø holes




3015

A contemporary design, often specified for double doors. They can be supplied as a single handle and are manufactured from high grade marine stainless steel.

material: Stainless steel grade 316

finish: Satin

glass drilling: 2 x 10mm Ø holes




H01

A simple, classic handle designed to complement modern facades.

material: Stainless steel grade 304

finishes: Polished and Satin

glass drilling: 2 x 16mm Ø holes




200B3

A slim tall 'guardsman' style handle with an additional central fixing point for extra support.

material: Stainless steel grade 316

finish: Satin

glass drilling: 3 x 13mm Ø holes




H20

A gently curved handle which can be fitted at 45° across the door.

material: Stainless steel grade 304

finishes: Polished and Satin

glass drilling: 2 x 16mm Ø holes




H17

A modern, simple design of handle which looks superb in the satin finish.

material: Stainless steel grade 304

finishes: Polished and Satin

glass drilling: 2 x 16mm Ø holes




H18

A classic curved handle which is designed, when fitted to double doors, to form a circle.

material: Stainless steel grade 304

finishes: Polished and Satin plus Gold

glass drilling: 2 x 16mm Ø holes




H03

A popular two bend design of handle which is specified mainly for retail installations.

material: Stainless steel grade 304

finishes: Polished and Satin

glass drilling: 2 x 16mm Ø holes





H04

This curved handle offers a really impressive appearance particularly in the polished finish.

material: Stainless steel grade 304

finishes: Polished and Satin

glass drilling: 2 x 16mm Ø holes




218

A heavy duty handle particularly suitable for doors with wheelchair access where low level fitting is required. Available as a single handle.

material: Stainless steel grade 316

finish: Satin

glass drilling: 2 x 13mm Ø holes






200B

A 'Guardsmen' style handle suitable for swing and sliding doors. Available as a single handle.

material: Stainless steel grade 316

finish: Satin

glass drilling: 2 x 13mm Ø holes



200 YOD


A 'Guardsmen' style handle suitable for swing and sliding doors. This handle features a Mogano mahogany grip with a stainless steel inlay. The handle can be used for external applications but the timber will be subject to weathering. Available as a single handle.

Note: The timber is sourced from renewable forests.

material: Stainless steel grade 316

finish: Satin

glass drilling: 2 x 13mm Ø holes




200 C-V-001/D

A 'Guardsmen' style handle suitable for internal swing and sliding doors. The handle features an internal lock (one side only) which shoots into a floor socket. The locks can be supplied 'keyed alike' but because the lock can only be factory fitted it must be specified at the time of ordering.

material: Stainless steel grade 316

finish: Satin

glass drilling: 2 x 13mm Ø holes



Barrier Components Ltd
Unit 8, Dolphin Point
Dolphin Way, Purfleet
Essex RM19 1NR

Tel 01708 891 515

Fax 01708 891 516

sales@barrier-components.co.uk

www.barrier-components.co.uk



Glass and Glazing Federation

